

Sand Filter System By Emaux



With over 35 years of solid experience and expertise together with our devoted staffs, Emaux has evolved from a Swimming Pool and Spa Equipment manufacturer to a company that is focused in Water Technology. A company that provides solutions to clients in water related issues.

Water for life and leisure

 **Emaux**
water technology

www.emauxgroup.com




Highlight Features:



- Suggested Installation: Domestic swimming pool
- Easy installation with pre-installed plumbing system and base
- Simple operation with 4-way multiport valve
- Filter structure with UV resistance material
- Max operating pressure 28psi / 2.0 bar
- Max temperature of 40°C (104 °F)
- Suggested size of media : 0.5-0.8mm

"FSP" Series Filtration Combo

Designed for easy set-up domestic pool, "FSP" Series filtration combo offers the right solution for home user who is looking for user-friendly and excellent filtration performance. "FSP" Series Filtration Combo includes top mount plastic filter tank, 4 or 6-way multiport valve, swimming pool pumps attached with base.



Remarks: Flow curve information based on 220V/50Hz motor.



Technical Information

| Code | Model No | Filter | Pump | Valve Connections | | Sand(kg) |
|----------|-----------|--------|-------|-------------------|------|----------|
| 88030308 | FSP350-4W | P350 | SS020 | 1.5 inch | 50mm | 20 |
| 88030409 | FSP400-4W | P400 | SS033 | 1.5 inch | 50mm | 35 |
| 88030510 | FSP450-4W | P450 | SS050 | 1.5 inch | 50mm | 45 |
| 88030611 | FSP500-4W | P500 | SS075 | 1.5 inch | 50mm | 85 |
| 88030712 | FSP650-4W | P650 | SS100 | 1.5 inch | 50mm | 145 |

Note: Suggested sand weight varies with differences in filter media size. For reference only.

Product Dimension

| Model No | A mm | B mm | C mm | D mm | Max Flow Rate | |
|-----------|------|------|------|------|---------------|-----------|
| FSP350-4W | 160 | 580 | 555 | 350 | 72lpm | 4.32m³/h |
| FSP400-4W | 175 | 625 | 760 | 400 | 108lpm | 6.48m³/h |
| FSP450-4W | 210 | 680 | 760 | 449 | 135lpm | 8.10m³/h |
| FSP500-4W | 235 | 724 | 760 | 527 | 185lpm | 11.10m³/h |
| FSP650-4W | 300 | 832 | 760 | 627 | 260lpm | 15.60m³/h |



FOR PUMP ONLY

Photos are for reference only, contents are subject to change without prior notice.
Caution: Filter is not to be used when there is negative pressure


Water for life and leisure

Sand Filter System



"FSP" Series Filtration Combo

Designed for easy set-up domestic pool, "FSP" Series filtration combo offers the right solution for home user who is looking for user-friendly and excellent filtration performance. "FSP" Series Filtration Combo includes top mount plastic filter tank, 4 or 6-way multiport valve, swimming pool pumps attached with base.



Remarks: Flow curve information based on 220V/50Hz motor.




Highlight Features:

- Suggested Installation: Domestic swimming pool
- Easy installation with pre-installed plumbing system and base
- Simple operation with 4-way multiport valve
- Filter structure with UV resistance material
- Max operating pressure 28psi / 2.0 bar
- Max temperature of 40°C (104 °F)
- Suggested size of media : 0.5-0.8mm

Technical Information


| Code | Model No | Filter | Pump | Valve Connections | | Sand(kg) |
|----------|-----------|--------|-------|-------------------|------|----------|
| 88031508 | FSP350-6W | P350 | SS020 | 1.5 inch | 50mm | 20 |
| 88031609 | FSP400-6W | P400 | SS033 | 1.5 inch | 50mm | 35 |
| 88031710 | FSP450-6W | P450 | SS050 | 1.5 inch | 50mm | 45 |
| 88031811 | FSP500-6W | P500 | SS075 | 1.5 inch | 50mm | 85 |
| 88031912 | FSP650-6W | P650 | SS100 | 1.5 inch | 50mm | 145 |

Note: Suggested sand weight varies with differences in filter media size. For reference only.



Product Dimension

| Model No | A mm | B mm | C mm | D mm | Max Flow Rate | |
|-----------|------|------|------|------|---------------|-----------|
| FSP350-6W | 160 | 680 | 555 | 350 | 72lpm | 4.32m³/h |
| FSP400-6W | 175 | 759 | 760 | 400 | 108lpm | 6.48m³/h |
| FSP450-6W | 210 | 813 | 760 | 449 | 135lpm | 8.10m³/h |
| FSP500-6W | 235 | 856 | 760 | 527 | 185lpm | 11.10m³/h |
| FSP650-6W | 300 | 961 | 760 | 627 | 260lpm | 15.60m³/h |



FOR PUMP ONLY



EMAUX WATER TECHNOLOGY

Over 35 years of engineering experience in Water Technology, providing expert solution in all water related matters based on our innovative ideas, automated production processes, and professionalism. Emaux is the leading water technology company that incorporates R & D, Production, and Sales under one roof.

Available from:

 **Emaux**
water technology

www.emauxgroup.com

Waterpark & Aquarium / Competition Pool / Residential Pool / Commercial Pool / Water Treatment / Water Feature

All specification are subject to change without notice © Copyright 2013 Emaux Swimming Pool Equipment Co., Ltd

Photos are for reference only, contents are subject to change without prior notice.