

# Water Descent By Emaux



With over 35 years of solid experience and expertise together with our devoted staffs, Emaux has evolved from a Swimming Pool and Spa Equipment manufacturer to a company that is focused in Water Technology. A company that provides solutions to clients in water related issues.

**Water for life and leisure**

 **Emaux**  
water technology

[www.emauxgroup.com](http://www.emauxgroup.com)



### WATER DESCENT

Available in 24 different models this water descent product line can suit different wall-mounting requirements. One of them accompanied by a small pump and filter combination provides you vibrant colourful LED waterfall which adds to your backyard visual interest, soothing sound of flowing water and moist fresh air.

### FEATURES


- Steady and even flow produces state of art artificial waterfall
- Inbuilt water-proof LEDs adds colours to water
- LED is powered by external 12V DC, which is safe and reliable
- The LEDs can be operated through panel or remote control and 10 lighting patterns are available
- Different lengths of lips in different models can fit various brick sizes for installation
- Multiple water descents can share the same controller and act in same paces

### Technical Information




APPROXIMATE PROJECTION OF SHEET OF WATER PER 300MM OF WATERFALL LENGTH

### INSTALLATION DIAGRAM



Designed to fit existing built walls



Designed to fit single brick walls & limestone block walls during construction




# Water for life and leisure

## Water Descent



### Product Information & Dimension

Code	Model No	CONNECTION SIZE mm	A mm	B mm	C mm	D mm	POWER	VOLTS
With LED								
88480101	PB300-25(L)	1.5 inch	50mm	306	138	76	25	4W
88480102	PB300-150(L)	1.5 inch	50mm	306	263	76	150	4W
88480103	PB300-230(L)	1.5 inch	50mm	306	343	76	230	4W
88480111	PB600-25(L)	1.5 inch	50mm	606	138	76	25	8W
88480112	PB600-150(L)	1.5 inch	50mm	606	263	76	150	8W
88480113	PB600-230(L)	1.5 inch	50mm	606	343	76	230	8W
88480121	PB900-25(L)	1.5 inch	50mm	906	138	76	25	12W
88480122	PB900-150(L)	1.5 inch	50mm	906	263	76	150	12W
88480123	PB900-230(L)	1.5 inch	50mm	906	343	76	230	12W
88480131	PB1200-25(L)	1.5 inch	50mm	1206	138	76	25	17W
88480132	PB1200-150(L)	1.5 inch	50mm	1206	263	76	150	17W
88480133	PB1200-230(L)	1.5 inch	50mm	1206	343	76	230	17W
Without LED								
88485001	PB300-25	1.5 inch	50mm	306	138	76	25	-
88485002	PB300-150	1.5 inch	50mm	306	263	76	150	-
88485003	PB300-230	1.5 inch	50mm	306	343	76	230	-
88485011	PB600-25	1.5 inch	50mm	606	138	76	25	-
88485012	PB600-150	1.5 inch	50mm	606	263	76	150	-
88485013	PB600-230	1.5 inch	50mm	606	343	76	230	-
88485021	PB900-25	1.5 inch	50mm	906	138	76	25	-
88485022	PB900-150	1.5 inch	50mm	906	263	76	150	-
88485023	PB900-230	1.5 inch	50mm	906	343	76	230	-
88485031	PB1200-25	1.5 inch	50mm	1206	138	76	25	-
88485032	PB1200-150	1.5 inch	50mm	1206	263	76	150	-
88485033	PB1200-230	1.5 inch	50mm	1206	343	76	230	-




### Specifications

### WATER DESCENT CONTROL BOX

With INPUT AC 170-250V/50-60Hz & OUTPUT DC12V/60W, it provides 10 patterns on LED Bar.

Code	Model No	Description
08080016	WTD-CB	LED WATER DESCENT Control Box

Working temperature	-20~+40°C
Input	AC 220V±15% , 50/60Hz
Output	DC 12V , 60W





## EMAUX WATER TECHNOLOGY

Over 35 years of engineering experience in Water Technology, providing expert solution in all water related matters based on our innovative ideas, automated production processes, and professionalism. Emaux is the leading water technology company that incorporates R & D, Production, and Sales under one roof.

**Available from:**

 **Emaux**  
water technology

[www.emauxgroup.com](http://www.emauxgroup.com)

Waterpark & Aquarium / Competition Pool / Residential Pool / Commercial Pool / Water Treatment / Water Feature

All specification are subject to change without notice © Copyright 2013 Emaux Swimming Pool Equipment Co., Ltd

Photos are for reference only, contents are subject to change without prior notice.