

In-Ground Skimmers FOR CONCRETE POOLS

Hayward in-ground pool skimmers are the preferred choice of professional pool builders. Engineered for residential and commercial applications, these large capacity skimmers are manufactured to Hayward's rigorous quality standards. Their durable, unibody construction is molded of rugged ABS, and they've been designed without submerged joints. Hayward skimmers come with multiple plumbing connections for easier installations.

All Hayward skimmers are non-corrosive, non-conductive and virtually indestructible, no matter what Mother Nature dishes out.




Skim-Master™ Series


Skim Master is a non-corrosive, large capacity automatic surface skimmer featuring a round, tamper-proof access cover, self-adjusting 8" weir with stainless steel spring for added strength, dual outlets, and threaded internal connections for pressure testing. The optional float/bypass valve provides a main drain-thru-skimmer system and an automatic safety bypass for low water conditions. No glue is used in manufacturing, promoting maximum strength and longevity. SP1070 Series provide a knockout overflow port that guards against overflow or pool water refill. All Skim-Master Series Skimmers are available with Float Valve and Equalizer Kit to meet specific NSF commercial requirements.

Model Number	Pipe Size	Cover Style	Throat Length	Ctn. Qty.	Ctn. Weight	Product Descriptions
SP1070	1 ½" FIP	Round	4 1/2"	1	8 lbs.	ABS Body adjustable cover (deck) collar. Round tamper- proof cover, basket, weir, overflow port, Flo-Control plate. Dual
SP1070S	1 ½" SKT	Round	4 1/2"	1	8 lbs.	outlets, have threaded internal cZons for pressure testing.
SP10712	2" FIP	Round	4 1/2"	1	8 lbs.	Same as SP1070 plus weir incorporated with Stainless
SP10712S*,**	2" SKT	Round	4 1/2"	1	8 lbs.	Steel Spring.

*Available in Gray, Dark Gray and Black. Add suffix GR for Gray, DGR for Dark Gray and BLK for Black.


For skimmer packaged with float valve, add suffix FVA to model number.





^{**}Available with tan collar and cover. Add suffix 10 to model number.





Measurements are for reference only.

SP 1080 Auto-Skim[™] Series

Auto-Skim features include an automatic by-pass for low water conditions, adjustable cover collar, snap-in weir that adjusts automatically to water level fluctuations up to 4 $\frac{1}{2}$ ", a rigid, 163 cubic inch basket, integral Flo-Control slide plate and a choice of threads for piping versatility. Molded of $\frac{3}{4}$ 6" ABS, they are ideal for pools located in colder climates. All SP1080 Series Skimmers are available with Float Valve and Equalizer Kit to meet specific NSF commercial requirements.

Model Number	Pipe Size	Cover Style	Throat Length		Ctn. Weight	Product Descriptions
SP10821	1 ½" FIP	Square	5 1/4"	1	10 lbs.	ABS Body, adjustable cover collar, Tamper-proof
SP1082*	2" FIP	Square	5 1/4"	1	10 lbs.	cover, basket, weir, Flo-Control slide plate.
SP10821R	1 ½" FIP	Round	5 1/4"	1	10 lbs.	Same as SP10821, but with 9 ½ diameter
SP1082RC*	2" FIP	Round	5 1/4"	1	10 lbs.	ROUND cover.
SP1082RC*			- 7.	•		

*Available in Dark Gray. Add Suffix DGR to model number for Dark Gray.

SP1096

SP 1096 Auto-Skim[™] PT & Economy Series

The PT Skimmer features a tamper-proof cover with a stackable deck collar that allows 2" vertical height extension, a snap-in, self-adjusting weir which accommodates fluctuations in water level, integral flow control slide plate, and a rigid basket with load extender ribs. Dual ports for pump and main drain connection are compatible with both 1" and 2" piping, which can be used with the same installation selections as standard Auto-Skim.

ADJUSTABLE 7-1/8" DIA.	1.1/4" To 2.1/4" 6"	-13-1/4"	1
5 3/8"	6" 5"	PAT. NO. 2,701,235 PERFORATED BASKET	12-7/8"
	NO LEAK FLANGE		TO 14-3/8"
	1-1/2" ST PIPE THR	RAIGHT	

Measurements are for reference only.

Model Number	Pipe Size	Cover Style	Throat	Ctn. Qty.	Ctn. Weight	Product Descriptions
SP1096	1 ½" FIP	Round	6"	1	6 lbs.	ABS Body, adjustable cover collar, cover, basket, weir

To find out more information about In-ground Gunite Skimmers or other Hayward products, go to hayward.com or call 1-888-HAYWARD.





In-Ground Skimmers FOR VINYL/FIBERGLASS POOLS

Hayward in-ground pool skimmers are the preferred choice of professional pool builders. Engineered for residential applications, these large capacity skimmers are manufactured to Hayward's rigorous quality standards. Their durable, unibody construction is molded of rugged ABS, and they've been designed without submerged joints. Hayward skimmers come with multiple plumbing connections for easier installations.

All Hayward skimmers are non-corrosive, non-conductive and virtually indestructible, no matter what Mother Nature dishes out.

All vinyl/fiberglass pool skimmers are packaged with face plate, gaskets and screws.




SP 1080 AutoSkim[™] Series

AutoSkim features include an automatic by-pass for low water conditions, adjustable cover collar, snap-in weir that adjusts automatically to water level fluctuations up to 4 1/2", a rigid, 163 cubic inch basket, integral Flo-Control slide plate and a choice of threads for piping versatility. The SP1084 line engineered for in-ground vinyl/fiberglass applications — offers an 8 1/2" throat, a weather-beating ABS face rim for longevity, and 9 1/8 " diameter round cover (10841R). They are also available with Float Valve and Equalizer Kit to meet specific NSF commercial requirements.


Model Number	Pipe Size	Cover Style	Throat Length	Ctn. Qty.	Ctn. Weight	Product Descriptions
SP10841*	1 ½" FIP	Square	8 1/2"	1	13 lbs.	
SP10841R*	2" FIP	Round	8 1/2"	1	13 lbs.	
SP108410M**	1 ½" FIP	Square	8 1/2"	1	13 lbs.	ABS body, adjustable cover collar, tamper-proof cover, basket, weir, Flo-Control slide plate, ABS face rim (white),
SP108410MR**	1 1/2" FIP	Round	8 ½"	1	13 lbs.	gaskets, and screws.
SP1084**	2" FIP	Square	8 ½"	1	13 lbs.	
SP1084R**	2" FIP	Round	8 1/2"	1	13 lbs.	


^{*}Skimmer includes standard and extra long 1 1/4" screws. **Available in Dark Gray – add suffix DGR for Dark Gray.

OM designation indicates thru-wall, outside mount for metal wall installations.



[&]quot;R" designation indicates round collar and cover assembly






Measurements are for reference only

SP 1080 AutoSkim™ Wide Track Series

Manufactured to Hayward's uncompromising standards, these tough, large capacity skimmers install easily and perform flawlessly in your in-ground vinyl and fiberglass jobs. Molded of 3/16" ABS, they're unaffected by even the most extreme variations in climate. The Wide Track Series includes a broad, 15 1/2" skimmer face opening that efficiently swallows debris, a square cover, and a choice of throat lengths from 9 1/4" to 12 1/4". AutoSkim Wide Track Series Skimmers are available with Float Valve and Equalizer Kit to meet specific NSF commercial requirements.

Model Number	Pipe Size	Cover Style	Throat Length		Ctn. Weight	Product Descriptions
SP10851OM	1 ½" FIP	Square	12 1/4"	1	17 lbs.	ABS Body, adjustable cover collar, tamper-proof cover, basket, weir, Flo-Control plate. 12 ¼" long throat and 15 ½" wide skimmer opening. Face rim, gaskets and screws.
SP10852*	1 ½" FIP	Square	9 1/4"	1	16 lbs.	Same as SP10851, but with 9 1/4" (235mm) long throat and mounting flange for up to 1" thick walls.
SP10852OM**	1 ½" FIP	Square	9 1/4"	1	16 lbs.	Same as SP10852, but packaged complete with SP1082FV Float Valve and SP1087 Equalizer Valve (NSF Listed)





Measurements are for reference only.

SP 1097 AutoSkim[™] PT & Economy Series

Model	Pipe	Cover	Throat	Ctn.	Ctn.	Product Descriptions
Number	Size	Style	Length	Qty.	Weight	
SP1097	1 ½" FIP	Round	12 ½"	1	9 lbs.	ABS Body, adjustable cover collar, cover, basket, weir, 12 ½" throat. Face rim (white), gaskets and screws.

Note: SP1098 can be replaced by SP1097 - the only difference is skimmer throat length.

To find out more information about In-ground Vinyl Skimmers or other Hayward products, go to hayward.com or call 1-888-HAYWARD.



^{*}Skimmer includes standard and extra long 1 1/4" screws.

**Available in Dark Gray - add suffix DGR for Dark Gray.

OM designation indicates thru-wall, outside mount for metal wall installations.